



SPECIAL EDITION • SPECIAL EDITION •

FUE Roundtable

Co-editors' Message

Robert H. True, MD, MPH, FISHRS *New York, New York, USA* editors@ISHRS.org



This issue of the *Forum* is dedicated to the FUE Roundtable, a discussion of advanced topics in Follicular Unit Extraction surgery by 12 of our members from around the world who have extensive experience in performing FUE. Panel members utilize a variety of methods: manual, motorized, sharp punches, dull punches, and robotics. In developing this project, we first defined a list of important topics in FUE and then prioritized them as to importance. Due to space limitations in this issue, we were not able to cover all the topics. But, we are presenting discussion of certainly some of the most important, including causes of poor growth in FUE, *in vivo* and *ex vivo* splitting, minimizing trauma during extraction, ideal FUE grafts, long-term donor management, minimizing evidence of harvesting in the donor area, common mistakes beginners make, quality control in FUE, proper punch depth, and the role of assistants in FUE. We begin this issue with a featured paper by one of the panel members, Dr. Jean Devroye, on his new powered FU extraction with the Shaky Flat FUE System (SFFS). Then we will meet the panelists and learn about their practices and move into the Roundtable Questions. For some of the topics, I asked three of the panelists to prepare an answer independently so that we could compare views of the same subject. For other parts of the discussion, all panelists participated.

Powered FU Extraction with the Short-Arc-Oscillation Flat Punch FUE System (SFFS)

Jean Devroye, MD, FISHRS *Brussels, Belgium* officedevroye@aol.com

**The author has ownership interest in manufacturing and selling the SFFS, punches, and devices. Since no claims are made in this article, there is no real conflict of interest as it is instructional in nature.*

Key Points

- Tethering is probably the main factor explaining the difficulty in obtaining good quality grafts with different FUE techniques.
- Splay is also a major obstacle to creating good FUE grafts without transections.
- Sharp punches are associated with a high transection rate.
- A flat punch moving with low speed decreases dramatically the rate of transection and produces FUE grafts that look more like FUT grafts.
- For a link to videos relating to this article, please go to: <https://www.youtube.com/watch?v=wWldpuJQ05o&feature=youtu.be>

Introduction

We have been practising the FUE technique for 15 years now, and it's a major advancement in our HTS practice. The goal is to extract an individual follicular unit with a small circular trephine punch.

It is interesting to note that two distinct schools of thought quickly emerged in the development of FUE. The first one, led by Dr. Jim Harris, prefers the blunt punch. In the beginning, it was the 3-step system: very superficial scoring with a sharp punch followed by a dissection with a dull punch, then an extraction with fine forceps.¹ This then evolved into the blunt punch 2-step system where the same punch is used to cut and to dissect. The ARTAS® Robotic Hair Transplant System uses the 3-step approach with a blunt punch sliding along a sharp punch.

The second school of thought, led by Dr. John Cole, has opted for the sharp punch.² This system is by far the most widespread and adopted around the world. Only a few punch types dominate the market: Dr. Cole's thin and sharp punches, the titanium nitride coated punches (from Mediquip Surgical, among others), as well as cheaper

Inside this issue

President's Message	130
Co-editors' Messages	131
Notes from the Editor Emeritus:	
Dr. Russell Knudsen	133
FUE Roundtable Q&A	138-157
Letter to the Editor	159
FUE vs. FUT-MD: Study of 1,780	
Follicles in Four Patients	160
Cyberspace Chat	163
Hair's the Question:	
FUE Technique	165
Review of the Literature	167
Message from the FUE Research	
Committee Chair	168
Message from the 2016 World Congress	
Program Chair	174
SAC Chair	175
SAC Vice Chair	175
Meetings & Studies:	
Istanbul FUE Workshop	170
Italian Society for Hair Science	171
ABCRC	172
Medical Tourism: The Good,	
the Bad, and the Ugly	177
Classified Ads	178

REGISTER TODAY!

Your opportunity to try
the many FUE tools &
techniques!

2016 USA JULY/DENVER
FUEpalooza 29-30 COLORADO
FUE Technology Workshop The Hands-On Experience



This one-of-a-kind workshop
allows attendees to perform
live surgery (FUE) on
patients under the guidance
of experienced faculty.

For details, see page 173.

You won't want to miss it!

Las Vegas
ISHRS 24TH WORLD CONGRESS
SEPT 28 - OCT 1, 2016
INTERNATIONAL SOCIETY OF
HAIR RESTORATION SURGERY
CAESARS PALACE • NEVADA • USA

Hair Transplant Forum International Volume 26, Number 4

Hair Transplant Forum International is published bi-monthly by the International Society of Hair Restoration Surgery, 303 West State Street, Geneva, IL 60134 USA. First class postage paid at Chicago, IL and additional mailing offices. POSTMASTER: Send address changes to Hair Transplant Forum International, International Society of Hair Restoration Surgery, 303 West State Street, Geneva, IL 60134 USA. Telephone: 1-630-262-5399, U.S. Domestic Toll Free: 1-800-444-2737; Fax: 1-630-262-1520.

President: Kuniyoshi Yagyu, MD, FISHRS
nhttkyo11@kioicho.jp

Executive Director: Victoria Ceh, MPA
vceh@ishrs.org

Editors: Mario Marzola, MBBS
Robert H. True, MD, MPH, FISHRS
editors@ishrs.org

Managing Editor, Graphic Design, & Advertising Sales:
Cheryl Duckler, 1-262-643-4212
cduckler@ishrs.org

Controversies: Russell G. Knudsen, MBBS, FISHRS

Cyberspace Chat: Bradley R. Wolf, MD, FISHRS

Difficult Cases/Complications: Marco Barusco, MD

Hair Sciences: Jerry E. Cooley, MD

Hair's the Question: Sara M. Wasserbauer, MD, FISHRS

How I Do It: Timothy Carman, MD, FISHRS

Meeting Reviews and Studies: Henrique Radwanski, MD

Regional Society Profiles:

Mario Marzola, MBBS; Robert H. True, MD, MPH, FISHRS

Review of Literature:

Nicole E. Rogers, MD, FISHRS;

Jeffrey Donovan, MD, PhD, FISHRS

Copyright © 2016 by the International Society of Hair Restoration Surgery, 303 West State Street, Geneva, IL 60134 USA. Printed in the USA.

The views expressed herein are those of the individual author and are not necessarily those of the International Society of Hair Restoration Surgery (ISHRS), its officers, directors, or staff. Information included herein is not medical advice and is not intended to replace the considered judgment of a practitioner with respect to particular patients, procedures, or practices. All authors have been asked to disclose any and all interests they have in an instrument, pharmaceutical, cosmeceutical, or similar device referenced in, or otherwise potentially impacted by, an article. ISHRS makes no attempt to validate the sufficiency of such disclosures and makes no warranty, guarantee, or other representation, express or implied, with respect to the accuracy or sufficiency of any information provided. To the extent permissible under applicable laws, ISHRS specifically disclaims responsibility for any injury and/or damage to persons or property as a result of an author's statements or materials or the use or operation of any ideas, instructions, procedures, products, methods, or dosages contained herein. Moreover, the publication of an advertisement does not constitute on the part of ISHRS a guaranty or endorsement of the quality or value of the advertised product or service or of any of the representations or claims made by the advertiser.

Hair Transplant Forum International is a privately published newsletter of the International Society of Hair Restoration Surgery. Its contents are solely the opinions of the authors and are not formally "peer reviewed" before publication. To facilitate the free exchange of information, a less stringent standard is employed to evaluate the scientific accuracy of the letters and articles published in the Forum. The standard of proof required for letters and articles is not to be compared with that of formal medical journals. The newsletter was designed to be and continues to be a printed forum where specialists and beginners in hair restoration techniques can exchange thoughts, experiences, opinions, and pilot studies on all matters relating to hair restoration. The contents of this publication are not to be quoted without the above disclaimer.

The material published in the Forum is copyrighted and may not be utilized in any form without the express written consent of the Editor(s).

President's Message

Kuniyoshi Yagyu, MD, FISHRS *Tokyo, Japan* nhttkyo@kioicho.jp



We are lonely soldiers in the operation room, where we have to judge everything by ourselves on our own responsibility. We all do our best to bring best results to our patients. However, an unexpected situation may sometimes happen during surgery. Recently, a case of a young patient has been reported who died after his hair transplantation surgery. The cause of death is unknown. It is important for a surgeon in how he manages the difficult situation to save the patient's life. However, there are limits to our lonesome abilities.

We will see more of such sad stories if unlicensed persons practice hair restoration surgery. The unlicensed personnel cannot deal with the difficulty of having to save a patient's life. This is one of the main reasons that the ISHRS is strongly against the practice of surgery by technicians without medical license.

In order to avoid such a shocking tragedy in our daily practice, we should be prepared to deal with these potential difficult situations.

When you have questions or experience a difficult case in hair transplantation and your patients' care, you can ask for help and advice from members of our Society. They will offer you valuable advice and useful information. The ISHRS consists of more than 1,200 members in 77 countries from around the world. The membership has different backgrounds of medical subspecialty, which is the power and strength of the Society. Members with different backgrounds will offer you answers to various questions. The subspecialty of our membership includes not only dermatology but also plastic surgery, urology, general surgery, emergency medicine, brain surgery, and cardiology.

Most of our members are willing to help you, if you need some help. Friendship and collegiality of our membership are precious treasures of our Society. All members of our Society consider that the patient's benefit and safety of the operation are of the utmost importance. The close doctor-to-doctor relationship is important for the ISHRS. One of the missions of the ISHRS is to foster healthy, honest, sound, and professional friendship and collegiality between the members.

Each member of the Society has high standards and ethics, professional education, excellence in outcomes, and safety of treatment. The goal of the ISHRS is excellence in patients' outcomes by promoting member education, international collegiality, research, ethics, and public awareness.

In the era of globalization, accurate information is important. The ISHRS constantly updates member contact information, including e-mail addresses. You can call on members for their advice and consultation. You can take advantage of the opportunity that this special community offers you.

One of the goals of the ISHRS is to assist physician members with practice and innovation. It is our hope that you provide the best service and procedures to the patients. By helping each other, we will advance hair restoration treatment and offer unsurpassed service to our patients.

To those who are temporarily staying outside of the ISHRS, I would like to invite all of you to join the ISHRS again. My hope is that the members of other groups will eventually see the benefits of the ISHRS's policies on patient care, and that they will rejoin the ISHRS. Ultimately, we will work all together.

In order to update you on the latest knowledge in the field and promote lasting friendship, I warmly invite you to be an active participant in the 2016 World Congress of the ISHRS in Las Vegas. You will have the opportunity to talk personally to many other colleagues from around the world. You will be proud of the membership of the ISHRS.

I look forward to welcoming all of you at the World Congress in September in Las Vegas. ♦

Co-editors' Message

Mario Marzola, MBBS Adelaide, South Australia editors@ISHRS.org



Here is another issue of the *Forum* dear readers with a lot of FUE information. There is no doubt that this publication of the ISHRS caters for the heightened interest in this technique of hair restoration. It never fails to amaze me just how ingenious some of our members are. Just look at the number of hand engines there are available with any number of different trephines to match. All in the interests of better grafts, less transection, better growth, and happier patients. No scalpels, no sutures, less pain, quicker recovery, less visible scars if the hair is shaved. Most of us would agree that all of this is true. So what effect is FUE having on the hair restoration surgery field? Most of us would also agree that more and more patients are looking for hair restoration because of FUE. For the doctors, it looks deceptively simple, a lot of it can be delegated, and there are many technicians and nurses happy to do the work, so it is easy to see FUE as an ideal addition to their practices.

Sadly, however, we are also seeing the downside of making hair restoration less surgical. We hear the stories of "hair transplant factories" from some countries in the Middle East and other countries will follow no doubt, where many patients are transplanted in one facility on any one day. While 2,000-3,000 FUE is the common offering whatever the amount of hair loss, there may be a doctor involved, but most if not all of the work is done by unlicensed technicians. Prices of \$1-\$2 per

graft attract a lot of patients. What is the outcome of all this? There would be good and bad results coming from these clinics, perhaps we see only the unhappy ones, but all the mistakes possible are being made: low flat hairlines, inflammation of the recipient area, depletion of the donor area, and poor growth. What happens then, when we need more donor material but there is little left? These things happen to all of us if our practices grow too quickly and without enough training. It happens when money rather than patient welfare is the primary objective.

If we stand back and look down upon this process dispassionately, we can see evolution at work. Inventive people find a way of producing whatever the public needs in a less expensive way, mistakes are made as evolution occurs, but like the tide, this process cannot be held back. My prediction is that the poor results from the hair factories will diminish and the reasonable to good results will increase. As this happens, their low cost will be an even greater attraction. Hair restoration will become a commodity, consumers will expect similar work and fees from us or they will travel. Evolution takes time, so we have time to look at our own efficiencies while maintaining standards. Can it be done?◆

Dr. James Harris' S.A.F.E. System

Three reasons to use the Hex for FUE with blunt technology:

1. Great results
2. Easy to learn
3. It's a "no-brainer"

S.A.F.E.
system



"I tried the blunt Hex punch, excellent grafts. So easy to use with practically no learning curve. This is a 'no-brainer'."

- Dr. Jerry Wong, Hair Transplant Surgeon

The Dynamic Difference

The powered S.A.F.E. System allows the physician to isolate, dissect and extract single follicular units with unprecedented speed and precision.



Benefits of the Hex:

- Innovative technology for FUE
- Low transection rates of 2.8%
- Deeper dissection to 4mm depth
- Easy to learn technique
- Rapid increase in productivity
- Excellent clinical results
- Perfect for patients with splayed or curved follicles
- Deeper dissection allows less manipulation of grafts, less tethering and better results
- Single use disposable
- Available in 0.8mm, 0.9mm, 1.0mm and 1.2mm sizes
- Can be used in any system with adjustable chucks and E type motors

Physician Training:

- Training with Dr. James Harris includes one on one experience with an exclusive focus on the S.A.F.E. System.
- Cost of training - \$2500.00

Hex Pricing:

- Powered S.A.F.E. Scribe Kit with 10 single use punches - \$1500.00
- Package of 5 Hex punches (any size) - \$275.00

Ordering:

Order on line at hscdev.com or call Veronica Melero for more information or to order: 877-265-9667

INTERNATIONAL SOCIETY OF HAIR RESTORATION SURGERY

Vision: To establish the ISHRS as a leading unbiased authority in medical and surgical hair restoration.

Mission: To achieve excellence in medical and surgical outcomes by promoting member education, international collegiality, research, ethics, and public awareness.

2015–16 Chairs of Committees

American Medical Association (AMA) House of Delegates (HOD) and Specialty & Service Society (SSS) Representative: Carlos J. Puig, DO, FISHRS (Delegate), Paul T. Rose, MD, JD, FISHRS (Alternate Delegate)
Annual Giving Fund Chair: John D.N. Gillespie, MD, FISHRS
World Congress Scientific Program Committee: Marcelo Pitchon, MD
Audit Committee: Robert H. True, MD, MPH, FISHRS
Bylaws and Ethics Committee: Gregory Williams, MBBS, FISHRS
Communications & Public Education Committee: Robert T. Leonard, Jr., DO, FISHRS
CME Committee: Paul C. Cotterill, MD, FISHRS
Regional Workshops Subcommittee: Bessam K. Farjo, MBChB, FISHRS
Subcommittee Best Practices Project: Paul C. Cotterill, MD, FISHRS
Core Curriculum Committee: Anthony J. Mollura, MD
Fellowship Training Committee: Robert P. Niedbalski, DO
Finance Committee: Arthur Tykocinski, MD, FISHRS
FUE Research Committee: James A. Harris, MD, FISHRS
International Relations Committee: Bessam K. Farjo, MBChB, FISHRS
Membership Committee: Ken L. Williams, Jr., DO, FISHRS
Nominating Committee: Sungjoo (Tommy) Hwang, MD, PhD, FISHRS
Past-Presidents Committee: Vincenzo Gambino, MD, FISHRS
Pro Bono Committee: Edwin S. Epstein, MD, FISHRS
Scientific Research, Grants, & Awards Committee: Carlos J. Puig, DO, FISHRS
Surgical Assistants Committee: Sara Roberts
Surgical Assistants Awards Committee: Tina Lardner
Ad Hoc Committee on Database of Transplantation Results on Patients with Cicatricial Alopecia: Jeff Donovan, MD, PhD, FISHRS
Ad Hoc Committee on Issues Pertaining to the Unlicensed Practice of Medicine: Carlos J. Puig, DO, FISHRS
Subcommittee of SAs against Unlicensed Practice of Medicine: Tina Lardner
Subcommittee on Florida Unlicensed Practice of Medicine: Ricardo Mejia, MD
Ad Hoc Committee on Regulatory Issues: Paul T. Rose, MD, JD, FISHRS
Subcommittee on European Standards: Jean Devroye, MD, FISHRS
 ISHRS Representative to CEN/TC 403
Subcommittee on Alberta, Canada Standards: Vance Elliott, MD, FISHRS
Task Force on Finasteride Adverse Event Controversies: Edwin S. Epstein, MD, FISHRS

2015–16 Board of Governors

President: Kuniyoshi Yagyu, MD, FISHRS*
Vice President: Ken Washenik, MD, PhD, FISHRS*
Secretary: Sungjoo (Tommy) Hwang, MD, PhD, FISHRS*
Treasurer: Arthur Tykocinski, MD, FISHRS*
Immediate Past-President: Sharon A. Keene, MD, FISHRS*
 Jean Devroye, MD, FISHRS
 Nilofer P. Farjo, MBChB, FISHRS
 James A. Harris, MD, FISHRS
 Francisco Jimenez, MD, FISHRS
 Robert T. Leonard, Jr. DO, FISHRS
 Melvin L. Mayer, MD, FISHRS
 Paul J. McAndrews, MD, FISHRS
 William M. Parsley, MD, FISHRS
 David Perez-Meza, MD, FISHRS
 Robert H. True, MD, MPH, FISHRS
 *Executive Committee

Global Council of Hair Restoration Surgery Societies

Membership proudly includes:

American Board of Hair Restoration Surgery
 Asian Association of Hair Restoration Surgeons
 Association of Hair Restoration Surgeons-India
 Australasian Society of Hair Restoration Surgery
 Brazilian Society of Hair Restoration Surgery (ABCRC)
 British Association of Hair Restoration Surgery
 French Hair Restoration Surgery Society
 German Society of Hair Restoration Surgery
 Hellenic Academy of Hair Restoration Surgery
 Ibero Latin American Society of Hair Transplantation (SILATC)
 International Society of Hair Restoration Surgery
 Italian Society for Hair Restoration
 Japanese Society of Clinical Hair Restoration
 Korean Society of Hair Restoration Surgery
 Polish Society of Hair Restoration Surgery
 Swiss Society for Hair Restoration Surgery



Editorial Guidelines for Submission and Acceptance of Articles for the Forum Publication

- Articles should be written with the intent of sharing scientific information with the purpose of progressing the art and science of hair restoration and benefiting patient outcomes.
- If results are presented, the medical regimen or surgical techniques that were used to obtain the results should be disclosed in detail.
- Articles submitted with the sole purpose of promotion or marketing will not be accepted.
- Authors should acknowledge all funding sources that supported their work as well as any relevant corporate affiliation.
- Trademarked names should not be used to refer to devices or techniques, when possible.
- Although we encourage submission of articles that may only contain the author's opinion for the purpose of stimulating thought, the editors may present such articles to colleagues who are experts in the particular area in question, for the purpose of obtaining rebuttal opinions to be published alongside the original article. Occasionally, a manuscript might be sent to an external reviewer, who will judge the manuscript in a blinded fashion to make recommendations about its acceptance, further revision, or rejection.
- Once the manuscript is accepted, it will be published as soon as possible, depending on space availability.
- All manuscripts should be submitted to editors@ishrs.org.
- A completed Author Authorization and Release form—sent as a Word document (not a fax)—must accompany your submission. The form can be obtained in the Members Only section of the Society website at www.ishrs.org.
- All photos and figures referred to in your article should be sent as *separate* attachments in JPEG or TIFF format. Be sure to attach your files to the email. Do NOT embed your files in the email or in the document itself (other than to show placement within the article).
- Images should be sized no larger than 6 inches in width and should be named using the author's last name and figure number (e.g., TrueFigure1).
- Please include a contact email address to be published with your article.

Submission deadlines:

August 5 for September/October 2016 issue
 October 5 for November/December 2016 issue
 December 5 for January/February 2017 issue



Notes from the Editor Emeritus

Russell G. Knudsen, MBBS, FISHRS Sydney, Australia drknudsen@hair-surgeon.com



Ethics and Follicular Unit Extraction

We are about to reach the tipping point in the FUE revolution of our field. Almost 50% of FU transplants are now performed by FUE, and the rate of increase of FUE procedures shows no indication of slowing down. This does not just represent a shift away from strip procedures, but also represents a significant increase in the number of patients seeking hair transplantation. In addition, this increasing patient demand, coupled with the perceived lower entry barriers to physicians seeking to enter our field, has resulted in an explosion of new doctors entering the field with no prior experience in managing hair loss of any kind.

Our principle ethical consideration when performing any type of cosmetic procedure is *primum non nocere* (first no harm), and in our field this revolves around selection of appropriate surgical patients, setting realistic goals with the patient, discussion of appropriate medication options, and the avoidance of “low balling” (deliberately quoting too few grafts) or “high balling” (deliberately quoting too many grafts). In addition, it critically also involves the physician attaining skill in, and practising, appropriate surgical planning and proper surgical techniques.

The question I would like to pose is this: Does the practice of FUE involve any additional ethical considerations? I believe the answer is yes, and not just to the physicians.

The lower barrier to entry for physicians in FUE (both in terms of need for surgical skills and multiple surgical staff trained in microscopic dissection) has resulted in an explosion of providers around the world, and sadly, not all of them physicians. The perceived wisdom of a less invasive procedure has overwhelmed the reality of the long learning curve required to pursue skilled FUE donor harvesting. The provision of ever better technology (better punches, newer hand engines, suction assisted harvesting, and even robotic machinery) has not materially lessened the skill set, and the learning curve, required. FUE remains a precisely skilled harvesting technique that is physically demanding (excluding the robot) on the physician. The need for significant periods, and providers, of “hands-on” training has never been greater, but at present cannot (and will likely never) meet demand. This results in many physicians “learning” on their paying patients with many patients suffering suboptimal outcomes.

In addition, learning FUE harvesting is not the same thing as learning hair transplantation. As obvious as that sounds to all of us, there appears a regrettable tendency to think that this is the most important part of the procedure. A developing problem is the tendency for equipment manufacturers of FUE devices to understate the importance of having significant knowledge of both causes and treatments of all types of hair loss (not just male pattern balding), as well as proper surgical planning, prior to the purchase of the

relevant equipment. In addition, FUE equipment manufacturers who provide on-site, hands-on training, only provide training of the machine and its harvesting process, not the procedure as a whole. Given that FUE equipment manufacturers are increasingly selling and promoting their devices to neophyte physicians with no knowledge or experience, I believe their business model, while defensible in a strict sense (they are equipment sellers), blurs an

ethical responsibility for them to encourage optimal use of their equipment in the patients’ best interests. Perhaps they should consider offering, in conjunction with an experienced physician, a more comprehensive introductory

workshop that covers all aspects of the procedure.

FUE has also led to an explosion of delegation of the harvesting to non-physicians both from staff members already within the clinic team but also, regrettably, to service organisations willing to operate a “fly in, fly out” model of roving technicians. In the worst-case scenario, the delegation limits the doctor’s role to simply providing the local anesthetic injections. I was reminded of this recently when a local colleague (never involved in hair transplantation) rang one of my staff to enquire whether she would like to perform FUE for this colleague, with the machine they proposed to buy, as he had been told his only role was to provide the local anesthetic! I guess, at the least, he recognised he needed an experienced staff member for this task. We have had many debates before about the ethics of over-delegation but the advent of semi-autonomous machines will likely aggravate the problem.

Lastly, and very importantly, all physicians seeking to provide skilled FUE need to be honest with their patients, and themselves, about the critical FUE-specific ethical responsibility to discuss the implications of large-scale harvesting requiring a greatly expanded donor area (at least 5 times larger) compared to strip surgery. This is especially important in younger men with large areas of thinning/balding. In many cases, it is exactly these young men who drive the request for FUE as they desire shorter hairstyles, a “less invasive” approach, and the ability to shave their head in the future if they so desire, or alternatively, if balding continues. The current continuing scare campaigns surrounding finasteride use only compound this problem as many young men are, at best, ambivalent about taking long-term medication and can’t be relied upon to remain compliant. Surgical planning of the donor area should therefore be conservative to increase the likelihood of long-term survival of grafts. If we are going to harvest nearer the balding margin in young men, as many surgeons do to preserve the evenness of density reduction, we must be honest about the increased risk (compared to strip) of future balding encroaching into the harvested donor areas and the resulting loss of grafts together with potential visibility of donor scarring. ♦

The lower barrier to entry for physicians in FUE (both in terms of need for surgical skills and multiple surgical staff trained in microscopic dissection) has resulted in an explosion of providers around the world, and sadly, not all of them physicians.

FUE Using the SFFS *from front page*

and lower-quality punches (such as Indian or Ertip's Turkish punches). Dr. Cole has widely argued for the advantages of punches that cut as sharply as possible. He considers that they help reduce as much as possible friction and thrust force on the one hand, and damage caused to hair on the other hand.

The other leader using sharp punches manually is Dr. José Lorenzo, who uses titanium punches manually.

My Personal Experience

I started practicing FUE two or three years after the first pioneers, learning from the experience of doctors such as John Cole, Patrick Mwamba, Allan Feller, Brad Wolf, and James Harris.

I've tried systems based essentially on sharp punches, like Dr. Cole's manual holder or Alan Feller's motorized equipment. I have long been disappointed by the quality of the grafts obtained, fearing the too frequent comments of my assistants: "Doc, the grafts are not that great today..." That is the reason why I felt reluctant to practice the FUE technique. The conferences and workshops I attended could not make me change my mind. I even noted that, despite the optimistic affirmations of my colleagues, I was not the only one doubting. Even during the recent workshop I attended, I saw lot of transections.

Seven years ago, I decided to carry out my own research, first on the motorized system and then on the punch.

Why is it so difficult to obtain good quality grafts?

To clearly understand all the aspects, we should first discuss the basic anatomical components.

Splay

In most Caucasian people, hair grows in a conical shape: the further down towards the depth we go, the wider hair is. Moreover, hair also has a marked convex curvature facing downwards in the sagittal plane (Figure 1).



Figure 1. Splay and paring (left) and curvature (right)

African hair has an extremely marked curvature, which often curves in various directions.

Tethering

Hair is firmly attached to its surrounding tissues. The force we need to pull the graft out is important. This tethering is probably the main factor explaining the broad range of results obtained with different FUE techniques.

This is linked to the existence of various connections between the dermal sheath, the sebaceous gland, the arrector pili muscle and the connective tissue of the hypodermis surrounding the follicles. There are also deep ties between the hair follicle and the subcutaneous tissue (the subcutaneous fat).

A closer examination of a donor strip proves the importance of the fibrous connective tissue on the upper half-part of the follicle (Figure 2).




Figure 2. Fibrous connective tissue on the upper half-part of the skin (left); tethering: sebaceous gland, arrector pili fibrous connective tissue (right)

What are the other constraints influencing the choice of the technique?

The number of hairs per graft, the damage caused to hair follicles, the size of the scars, the speed of the harvesting process, and the number of grafts reached at the end of the day are all factors that need to be taken into account when choosing the technique.

The number of hairs per graft. Two schools of thought exist. The first one, which I belong to, looks for "beautiful grafts," that is to say, the richest in hair, in order to obtain a density and a covered surface as high as possible. I also prefer "chubby" rather "skinny" grafts.

The other school of thought, however, prefers limiting the number of hairs per graft in the range of 1.8-2 in order not to "deplete" the donor area. They are not afraid of the transections and they also split *in vivo* the biggest grafts.

In order to raise the number of hairs per graft, the only solution is to increase the punch diameter. This causes an increase in the size of the scars (the white dots).

We will see that the SFFS enables us to raise the number of hairs per graft while using small punch diameters.

The size of the scars. This is indisputably linked to the punch size. We can also think that the more the punch size increases, the more the internal healing is important and might deform the surrounding follicles and so increase the difficulty of the future harvesting process. It's important to note that the wound surface increases exponentially with the punch radius.

The time of donor harvesting process. Long experience with FUE shows that the limiting step is twofold: a partial depth cut with the punch (named scoring or dissection) followed by manual removal afterward with steady, gentle traction using jeweler's forceps.

The cutting time process is long if we use the manual technique, but it can be easily reduced by using a powered system. The harvesting time is crucial. If the scoring is too shallow, the extraction time automatically increases.

For several years, I've been working on the improvement of a complete system including a motorization as well as the use of special punches.

The Motorization

My first idea derived from a practice in which I excelled when I was a teenager: sewing with a sewing machine. Those who have used one know how precise the pedal is and how it can produce extremely accurate work. I thus created a system made up of a very sensitive pedal and a hand motor set and handpiece used by dentists (Figure 3).

My feeling is that the less movement you make, the less the risk you take of damaging the follicle. On the other hand, the movement of the punch used manually is oscillatory.

However, the deeper the punch goes, the more it releases the



Figure 3. WOW pedal (left) and motor and handpiece (right)

follicle from its ties. So the follicle has then the annoying tendency to twist on itself around its deep ties, ending in the worst case with the whole follicle being drawn into the deeper dermis. This is called a “buried graft.” The major advantage of oscillation is avoidance of the complete twisting of the follicle. Indeed, we shall see hereunder that inserting the punch deep enough allows us to remove the follicle effortlessly.

The SFFS thus uses an oscillatory and very short movement—between 180° and 90°—that I describe as “shaky.” This shiver might have an effect of additional detachment compared with a normal circular movement. I start the movement when the punch is already in contact with the skin, and I stop it as soon as I consider I have reached a sufficient depth. Experience shows that the dissection of the dermis and the hypodermis requires neither force nor high speed. Superficial tumescence facilitates the technique.

Sharp Punches

Having used sharp punches for many years, I gradually came to the conclusion that their use frequently led to a dead end and that the intrinsic characteristics of the punch were to be blamed for this.

As I noted above, the ideal FUE technique has the irreconcilable requirements of obtaining a significant number of grafts that are rich in hair and poor in transections by using small diameter punches and without having to spend too much performing the extraction.

With sharp punches, in order to allow an easy and effective extraction with a high number of hairs per graft and a low transection rate, it is necessary to insert the punch to minimal depth and to increase the diameter of the punch. The negative consequences are that the number of grafts that can be extracted from a given surface are decreased irreparably and the size of the scars is increased.

On the contrary, if the diameter of the sharp punches is decreased, the number of transections is increased inexorably; as the number of hairs per graft is decreased, the depth we can reach is reduced. All this leads to puny grafts, which are poor in hair and difficult and time consuming to extract.

I personally have found no ideal solution to this equation with multiple variables. From time to time, when the situation is particularly favorable (right hair, well-bounded transplant, very good skin laxity, low tethering of the grafts), I am able to obtain quality transplants with good ratios and a small transection rate.

A few years ago, I had the opportunity to observe the work of Dr. James Harris with the SAFE System and I noticed the good quality of the grafts he obtained. I thus decided to pay more attention to the less sharp punches, and finally began to create my own system.

Flat Punches

With a sharp punch, the main problem is it is always sharp—inside and outside the skin. It’s so sharp that even slight contact with the follicle will cause an injury, like a paring or, worse, a transection.

But I have learned that we don’t need a sharp instrument when we dissect the tissue around the follicle. We just need a system sharp enough to cut the epidermis rather easily but dull enough to dissect the follicle from the adjacent tissue with minimal damage.

It’s just a question of geometry (Figure 4). A 90° angle on the outer edge of the flat punch can operate as a cutting edge. The 90° angle has to be perfect, without any kind of irregularities. The angle of insertion of the punch and the skin is between 30° to 60°. In opposition to the sharp technique, the skin undergoes initial deformity with the flat punch. When the punch has penetrated the epidermis, this deformity disappears.




Figure 4. Flat punch and splay (left) and angulation of the flat punch (right)

Advantages

The main advantage of this system is the ability to penetrate the skin deep enough—often from 4-5mm—without damaging the follicles. The small arc of the oscillation avoids the torsion. This dissection is much less traumatic than the one derived from the use of sharp punches. The transection rate and the paring damage are reduced to the barest minimum. I keep improving the system; some new designs are already tested. The whole system will become available soon.

Additional advantages include the following:

- Easy extraction
- Low follicle transection rate (typically ranging from 3%-8%)
- Higher hairs per graft are obtained. The system improves the yield in difficult situations: curly hair, splay, African hair, body hairs, removal of old plugs, but, in my opinion, it’s also superior to the sharp system in almost any kind of situation. (See grafts in Figure 5.)



Figure 5. Typical grafts with SFFS technique

Conclusion

The SFFS is promising. The numerous comparisons made with the sharp punches show the superiority of this system in terms of quality. The global speed is the same. Even if the time of scoring increases a little bit, the time of extraction decreases.

It’s very exciting to explore this field. All details are very

SFFS from page 135

important and technically exacting. Surgeons have to be trained to obtain FUE grafts of the highest quality that look as good or better than grafts produced by FUT.

References

1. Harris, J.A. The SAFE system: new instrumentation and methodology to improve follicular unit extraction (FUE). *Hair Transplant Forum Int'l*. 2004; 14(5):157, 163-164.
2. Cole, J.P. An analysis of follicular punches, mechanics, and dynamics in follicular unit extraction. *Facial Plast Surg Clin North Amer*. 2013; 21:437-447. ♦

Editor's note: I have been an advocate of sharp motorized FUE for the past 13-14 years and feel that I have been able to develop a very good technique. At workshops over the past two years in which Dr. Devroye and I have served as faculty, I had an opportunity to view his device and was impressed with the excellent graft quality. I decided to start using it. In many of my cases over the past year, I used my standard sharp punch system for half of the case and the SFFS for the other half. I used the same diameter punch in both, most commonly 0.85mm. There was consistently a higher hair per graft count with the half in which I used the SFFS. I also have found that the system works exceptionally well for curly or curved hair or for those with a lot of follicle splay.

This is a unique system like no other. It is the combination of the variable mini-oscillation with the flat punch that is key. I am increasingly using this as my preferred device for performing FUE. —RHT

Thoughts on Dr. Devroye's "WOW" Motor and Flat Punch

Ron Shapiro, MD, FISHRS *Minneapolis, Minnesota, USA*
rshapiromd@shapiromedical.com

I have been exploring FUE for more than 10 years. For the first 5 years, I went to almost every FUE workshop and was disappointed with the degree of transection and missed attempts that even "the best" were producing at that time. In addition, the most common punch size was 1.0mm or greater. I had real doubts about the viability of this technique. However, about 6 years ago, my opinion began to change. I finally began to see examples of FUE procedures producing non-transected grafts, with smaller punches, on a consistent basis. However, with the tools available at that time, it was not easy. It required quite a bit of skill and experience to become this proficient. I personally found it difficult to gain this level of adeptness. In my attempts to become better, I tried almost every methodology that was developed over the past 5 years, both manual and motorized. I used Cole's sharp punch, the Harris Dull Punch, the NeoGraft with suction, and I even bought and ARTAS Robotic Hair Transplant System.

Although all these devices had clever technological improvements, I personally still struggled. As I witnessed other physicians become proficient with their FUE, it was frustrating because I had always been proud of my technical ability. I could place grafts as well as if not better than most assistants. I could make recipient site incisions in-between existing hairs

without trauma using my 6.0 power loops. But I just could not feel good about my FUE ability. THIS ALL CHANGED WHEN I TRIED Dr. DEVROYE'S "WOW" MOTOR AND PUNCHES. Within the first few attempts, I felt more confident in my ability. I almost immediately started producing non-transected grafts that were easy to extract and had good tissue around the entire follicle. In addition, I was doing this with a 0.85mm punch. Over the last 6 months, I have only gotten better and it is the primary method we use at our office. We still occasionally use a motorized or manual sharp punch in some specific situations. It is good to be skilled in multiple methods as some skin and hair types work better with one method over another. However, in 90% of our cases, Dr. Devroye's WOW motor and flat punch work great.

I believe the reason that this method works so well is that it "marries" the best qualities of manual FUE, motorized FUE, sharp punches, and dull punches. I explain below:

1. Like a manual punch, it uses oscillation rather than rotation with all the benefits of decreased trauma and better control associated with manual punches. With the standard manual technique, you have to learn how to do "oscillation" with your fingers and keep the punch steady and aligned while rotating your fingers. This is NOT easy. With the "WOW" oscillating motor, you simply place the punch in the angle and direction you want and let the motor do the oscillation for you.
2. Like a dull punch, the tip is flat and smooth. This enables you to punch deeper (i.e., the entire length of the graft) with little risk of transection due to the intrinsic safety of blunt dissection. You get grafts with more tissue around the base, less transection, a high hair/graft ratio, and greater and less traumatic ease of extraction.
3. Like a sharp punch, you can penetrate the skin with little force or trauma. The reason for this includes the following: The wall thickness of these punches are very thin like the best sharp punches. This is unlike other dull (flat) punches, which have a thick wall thickness requiring both high force and high rotational speeds to enter the skin.

The outer edge of the punch (the part away from the graft) is a 90° edge.

By initially applying pressure on the outer 90° edge of the punch and increasing oscillation speed with the foot pedal, this thin-walled punch will penetrate the skin easily with little of the tangential force shape-distorting forces that Dr. Cole talks about. This makes the flat punch behave more like a sharp punch at this phase than traditional dull punches. BUT, once the punch is past the epithelium, the speed can be lowered to near what a manual method uses and the thin-walled flat punch now easily penetrates the length of the graft without transection.

In my opinion, the principles behind this technique actually translated to clinical effect. I am impressed with it and think it will help beginners achieve proficiency quicker, as well as let good FUE practitioners become better. ♦

MEET THE PANELISTS



Mariana Alves, MD
Master Group Hair Clinic
Lisbon, Portugal
medicos.alves@transplantecapilar.pt
ISHRS member since 2010



Flavia Barsali, MD
Master Group Hair Clinic
Lisbon, Portugal
medicos.barsali@transplantecapilar.pt
ISHRS member since 2009



Barbara Paciletti Costa, MD
Master Group Hair Clinic
Lisbon, Portugal
medicos.costa@transplantecapilar.pt
ISHRS member since 2008



Jean Devroye, MD, FISHRS
Brussels, Belgium
officedevroye@aol.com
ISHRS Member since 2000
Performs FUE only: motorized FUE utilizing custom foot control motor and oscillating flat edge punches of 0.8–0.9mm; premade sites for graft placement with forceps; HypoThermosol® for graft storage

Drs. Alves, Barsali, and Costa are partners and perform surgeries together. They perform FUE only: manual extraction (Versi-Handle punch adapter; round titanium punches—0.9, 1.0, and 1.1mm); premade sites for graft placement with dull Choi Implanter (Follipen) 0.6, 0.8, and 1.0mm; chilled saline for graft storage



Kapil Dua, MBBS, MS
New Delhi, Ludhiana (Punjab), India
Group, with his wife, Dr. Aman Dua
drkapildua@akclinics.com
ISHRS member since 2008
Primarily practice FUE (95% practice) both from scalp as well as body: FUT; do FUT mainly in combination with FUE for giga sessions (combination FUE + FUT + Body hair transplants); motorized or powered FUE using both customized dull punches for scalp and customized sharp punches diameter for body hair extraction; premade sites for graft placement with forceps; chilled Ringer's Lactate for graft storage




James A. Harris, MD, FACS, FISHRS
Hair Sciences Center of Colorado
Denver, Colorado USA
jaharris@hscolorado.com
ISHRS member since 1998
Practice is 95% FUE with ARTAS and SAFE System®, 5% strip harvest: preferred punch size 0.8-0.9mm; harvest from scalp, beard, and torso; premade sites for graft placement using dull tip implanters; chilled HypoThermosol/vATP for graft storage



Jae Hyun Park, MD
DANA Plastic Surgery Clinic
Seoul, South Korea
jay8384@naver.com
ISHRS member since 2007
Motorized FUE with sharp punches 0.8-1.0mm for scalp, beard, and body hair; sharp tip implanters for placement; chilled HypoThermosol for graft storage



Antonio Ruston, MD
São Paulo, Brazil
tony@ruston.com.br
ISHRS member since 1999
FUE and FUT (now 50% each)
For FUE: 0.8-0.85mm sharp punches (with motorized system) for most of the cases, and 0.9mm punches for Afro, curly, or higher transection rate cases; premade sites for graft placement and stick-and-place with forceps; chilled saline for graft storage



Mauro Speranzini, MD
São Paulo, Brazil
speranzini.mauro@gmail.com
ISHRS member since 2003
FUT only from 1992-2012; FUT and FUE from 2012-2013; FUE only since 2014: suction-assisted FUE machine; sharp punches (most cases); graft placement with dull needle implanters only; chilled Ringer's Lactate for graft storage



Michael Vories, MD
Carolina Hair Surgery
Charleston, South Carolina, USA
mvoories@carolinahairsurgery.com
ISHRS member since 2003
FUE only: vortex motor with ser-rounded punches; sharp tip implanters for placement; chiller with NS storage solution



Ken L. Williams, Jr., DO, FISHRS
Orange County Hair Restoration
Irvine, California, USA
drwilliams@iimcs.org
ISHRS Member since 2009
FUE used in 75% cases; FUT for 25% of cases: FUE devices ARTAS and PCID, punch sizes 0.9-1.0mm; premade sites for graft placement using forceps; chilled HypoThermosol/vATP for graft storage



Georgios Zontos, MD, Msc, PhD
Scientific Associate University of Patras—School of Medicine, Department of Medical Physics
Medical Dir. of Haarklinikken Aps Copenhagen, Denmark
gdzontos@gmail.com
ISHRS member since 2010
FUT only from 2001 to 2003; FUE exclusively since 2003: manual and motorized sharp punches; premade sites for graft placement using dull implanters; chilled saline for graft storage